



PRICE LIST
C40-0822
Revision: March 9, 2023

*Engineered
for **Easy***



endura®XL **Grease Interceptor**

AUGUST 15, 2022

SUPERSEDES C40-0222 (FEBRUARY 1, 2022)

Our website pricing is the current list price and may vary from our printed price list.
Please visit our website for up-to-date information.

Visit us on the web for installation guidelines and operating instructions:

www.endurainterceptor.com **1-800-461-5300**

ENDURA® XL GREASE INTERCEPTOR

PRICE LIST C40-0822 AUGUST 15, 2022

TERMS AND CONDITIONS OF SALE

1. General

Except where otherwise agreed to in writing by Canplas all sales are subject to the following terms and conditions. Canplas reserves the right to modify these terms and conditions at its discretion and without notice.

2. Prices

All prices quoted or published are F.O.B. Canplas' factory or authorized warehouse. Published prices are subject to change without notice until orders are accepted by the issuance of an order confirmation. Canplas may agree in writing to protect prices for an extended period of time for specific projects or quotations. Orders may be shipped in whole or in part at Canplas' discretion and will be immediately invoiced upon shipment. Any and all sales, manufacturers' taxes and/or other charges levied or imposed by any governmental authority, foreign or domestic, upon any merchandise sold or contracted to be sold shall be paid by the purchaser and added to the purchase price unless satisfactory and appropriate tax exception certificates are supplied to the Seller.

3. Payment Terms

Unless other terms of payment are agreed to in writing by Canplas or otherwise indicated on specific published price lists, payment is due upon delivery of the products. If applicable, cash discounts, expressed as a percentage, are calculated on the net invoiced prices before any taxes, freight or other charges and can only be deducted from payment if Canplas receives payment from the purchaser on or prior to the due date. Interest shall be charged at a rate of 1.5% per month equating to an annual rate of 18% on all overdue accounts. The granting of credit by Canplas is based on its evaluation of the purchaser's financial condition. If such financial condition does not justify continuance of shipment on credit, Canplas may require full or partial payment in advance.

4. Orders

Purchaser's orders are conditional upon satisfactory credit approval by Canplas. Minimum order values shall be as published in the applicable price list or as agreed to in writing by Canplas. Once confirmed by Canplas, orders for custom made products manufactured to the Purchaser's specifications and orders for large quantities of non-inventoried products cannot be cancelled, modified or returned, without the written consent of Canplas.

5. Shipments

All shipments are F.O.B. Canplas' factory or authorized warehouse. Quoted delivery schedules or those contained in an order acknowledgement are approximate only. Shipment will be made within reasonable proximity to the quoted delivery schedule. Prepaid orders will be shipped via the most economical method at the discretion of Canplas. Should the customer select an alternative method with a higher rate, the difference will be charged to the customer.

6. Shipping Responsibility

Canplas' responsibility ceases when the carrier signs for the shipment in good order. Under no circumstances will Canplas be responsible for any damage caused by delays in shipment, whether resulting from causes within or beyond the control of Canplas. Canplas shall bear no liability for products lost or damaged during transit. Canplas is not responsible for loss or damage to goods in transit, or delays or carriers in delivering shipments or for damages resulting from such delays as those caused by fire, explosion, act of God, strike or other difference with workmen, shortage of material or labor, delays in transportation, government restrictions, war, riot, civil commotion or cause beyond our control. Where shortage or damage is apparent, details should be noted by the carrier on the freight bill at the time of delivery. In case of concealed damage, carrier should be called at once to inspect the damaged shipment. Do not return damaged goods.

7. Returned Goods

Prior to returning any products for any reason the purchaser must obtain a Returned Goods Authorization (RGA) form from Canplas which must accompany the goods being returned. For returned goods that are acceptable for credit, a restocking charge of twenty-five percent (25%) will be assessed against the credit to cover handling, inspection and/or repackaging. Products must be returned freight prepaid, unless otherwise authorized by Canplas. Products must be received in good saleable condition and, if required, in full carton quantities and in their original packaging. Canplas reserves the right to refuse the return of certain products, such as custom-made configurations, obsolete products, excessive quantities or other specialty products. Canplas may, at its discretion, direct that products be destroyed for credit rather than returned.

8. Product Modifications

Canplas reserves the right to make changes or improvements to its products in its sole discretion and without assuming any further obligation.

9. Force Majeure

Canplas shall not be responsible or liable for any non-performance or delay in performance hereunder or any loss or damage of any kind whatsoever, direct or indirect, suffered by the purchaser, subsequent purchasers, ultimate users of the goods or any other person, as a result of any causes beyond the reasonable control of Canplas including, without limitation, price alterations, delay in shipments, strikes, lock-outs, fires, floods, civil commotion, riots, wars, acts of God, embargos, labor shortages, walk-outs, work slowdowns, accidents, breakdowns, delays in manufacture, transportation or delivery of goods or materials, shortages of materials or supplies or government acts or regulations.

10. Miscellaneous

Product names used in Canplas published documents, electronic or printed, are for identification purposes only. All trademarks registered or otherwise, are the property of their respective owners.

11. Governing Law

This agreement and all associated rights and obligations shall be governed by the laws of the province of Ontario and all actions commenced pursuant hereto shall be brought in a court of jurisdiction residing in the province of Ontario.

12. Warranty

Canplas products are carefully inspected for manufacturing defects, however, it is not always possible to detect hidden defects. Unless otherwise specifically stated in writing, Canplas products are warranted only to the extent that Canplas will replace without charge, products proven to have manufacturing defects within 6 months of the date of delivery thereof and provided Canplas has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

TABLE OF CONTENTS Page

Endura XL Grease Interceptors	3
Sampling Well	4
Solids Interceptor	5
Components & Accessories	5

CAUTION

- Installing threaded fittings

When installing threaded fittings, best practice requires that a suitable sealing medium, for example PTFE tape or non oil-based plumbers putty is used, to both seal the joint and ensure a positive and correct fit. Do not over tighten.



Visit our website for more information

- Grease Interceptor Sizing Calculator
- Specification Sheets
- Price Lists




www.endurainterceptor.com

ENDURA® XL GREASE INTERCEPTOR

endura[®]XL Grease Interceptor

Building on a field proven approach to grease management

Endura XL is the latest addition to the Canplas Grease Management line, offering the highest fats, oil and grease separation efficiency in a compact, yet high capacity footprint. Using the latest materials technology and hydromechanical design, Endura XL Interceptors are designed from the ground up to offer convenience and durability, backed by National performance standards.



Endura® XL Grease Monitor

Part Number	Includes	List Price
40100MS	- 1 Grease level sensor (GA-SG1) - 1 High liquid level sensor (GA-HLL1) - 1 Control Panel (GA-2)	9,346.98

Endura® XL Grease Interceptors

Size G.P.M./Lbs.	Part Number	Connection Size	Flow Rate	Actual Grease Capacity (ASME 112.14.3)	Cover Load Rating	List Price
WITH TRAFFIC RATED COVERS - CSA B481.0 'S' RATED						
75/150	4075A04	4"	75 g.p.m. (4.73L/sec.)	559 lbs. (253 kg)	S	5,398.64
100/200	40100A04	4"	100 g.p.m. (6.31L/sec.)	1058 lbs. (480 kg)	S	7,985.15
150/300	40150A04	4"	150 g.p.m. (9.46L/sec.)	1097 lbs. (498 kg)	S	8,783.65
WITH PEDESTRIAN / LIGHT TRAFFIC COVERS - CSA B481.0 'M' RATED						
75/150	4075A04M	4"	75 g.p.m. (4.73L/sec.)	559 lbs. (253 kg)	M	5,006.12
100/200	40100A04M	4"	100 g.p.m. (6.31L/sec.)	1058 lbs. (480 kg)	M	7,508.45
150/300	40150A04M	4"	150 g.p.m. (9.46L/sec.)	1097 lbs. (498 kg)	M	8,259.29

ENDURA® XL GREASE INTERCEPTOR

PRICE LIST C40-0822 AUGUST 15, 2022



Well. Done.

We are pleased to announce the addition of a Sampling Well to the Endura® XL product line.

This is a welcome addition as sampling the effluent exiting a grease interceptor system becomes a requirement for Authorities Having Jurisdiction (AHJs) across the country. With varying local codes, engineering details, and methodologies, we are proud to offer a turnkey solution.

The code compliant Endura Sampling Well will offer both convenience and peace of mind to installers, inspectors, and food service establishment (FSE) operators.

The Sampling Well will comply with jurisdictions that require the installation of an effluent sampling point downstream from grease interceptors serving FSEs.

The Sampling Well ensures sample consistency and is offered with a choice of 6 outlets allowing for multiple directional changes from the inlet; each inlet and outlet provides for a 4" or 6" connection. Along with an 8" displacement between upper and lower connections for new installations.

The sampling well is available with a Traffic S-Rated, a Pedestrian M-Rated for Light Traffic Cover or Cast Iron Cover.

Choice of 6 outlets

Features & Benefits

- Corrosion resistant construction
- Lightweight, easy to transport and install
- Two products in one, "straight thru" and "Offset" connection options
- Choice of 6 outlets (allowing 90° directional changes from inlet) and 8" vertical displacement
- Integrated 4" and 6" outlet options
- Lower connections when used promote self-cleaning
- Bottom profile and multiple connections add stability and floatation resistance
- Built in fall – 1/2" across in to out – suits existing installations/replacement market
- Cast Iron option is for outdoor application only



Pedestrian
M-Rated
cover

Traffic
S-Rated
cover




Part Number	Description	Connection Size
40100SWS	Endura Sampling Well with Traffic S-Rated Cover	4" & 6"
40100SWM	Endura Sampling Well with Pedestrian M-Rated Cover	4" & 6"
40100SWC	Endura Sampling Well with Cast Iron Cover	4" & 6"

ENDURA® XL GREASE INTERCEPTOR

PRICE LIST C40-0822 AUGUST 15, 2022


SAMPLING WELL



Choice of 6 outlets

Single extension risers available. See page 4.


Endura Sampling Well with Traffic S-Rated Cover		
Part Number	Connection Size	List Price
40100SWS	4" & 6"	1,660.26



Choice of 6 outlets

Single extension risers available. See page 4.

Endura Sampling Well with Pedestrian M-Rated Cover		
Part Number	Connection Size	List Price
40100SWM	4" & 6"	1,425.88



Choice of 6 outlets

SDR 35 15" riser pipe supplied by customer and cut to length required.

Cast Iron option is for outdoor application only.


Endura Sampling Well with Cast Iron Cover		
Part Number	Connection Size	List Price
40100SWC	4" & 6"	1,888.15

SOLIDS INTERCEPTOR


For applications with excessive solid waste.

ENDURA Solids Interceptor

Part Number	Material	Connection Size	List Price
4011A04	Polypropylene	4"	2,103.07
40100E04	Polypropylene	4"	6,675.00





40100E04




4011A04

COMPONENTS & ACCESSORIES



18" Endura® XL Extension Riser			
Part Number	Size	Shipping Weight	List Price
Pair - (Includes 2 x frame and all installation hardware)			
40100AX18	18" Dia (Nom) 18" Cut-to-length	25.54 kg.	1,811.58
Single - (Includes 1 x frame and all installation hardware)			
40100AX18SW	18" Dia (Nom) 18" Cut-to-length	12.46 kg	905.78


35" Endura® XL Extension Riser			
Part Number	Size	Shipping Weight	List Price
Pair - (Includes 2 x frame and all installation hardware)			
40100AX35	18" Dia (Nom) 35" Cut-to-length	36.34 kg.	2,114.71
Single - (Includes 1 x frame and all installation hardware)			
40100AX35SW	18" Dia (Nom) 35" Cut-to-length	17.86 kg	1,057.36



Endura® XL Riser Seal / Endura XL 'M' Cover Seal		
Part Number	Size	List Price
40100X35-2	56" (Nom)	69.30

ENDURA® XL GREASE INTERCEPTOR


PRICE LIST C40-0822 AUGUST 15, 2022




Endura® XL Safety Strap Kit		
Part Number	Description	List Price
40100SSRK	Add Safety Straps to your interceptor with an Endura XL Safety Strap Kit	290.22





Endura® XL Connector Gasket		
Part Number	Size	List Price
40100-23	4" SDR	69.30




Endura® XL Internal Flow Control Plate		
Part Number	Flow Rate	List Price
4075-21	75 g.p.m. (4.73L/sec.)	17.32
40100-21	100 g.p.m. (6.31L/sec.)	17.32
40150-21	150 g.p.m. (9.31L/sec.)	13.71




Endura® XL Tank Penetration Seal - Remote Pump		
Part Number	Size	List Price
40100TPS3	3" (Sch 40)	51.20




Endura® XL Replacement Cover Pedestrian/Light Traffic Rated CSA B481.0 Class 'M'			
Part Number	Size	Load Capacity	List Price
40100ARCM	22" Nom	(2000lbs)	634.77





Endura® XL Cover Seal		
Part Number	Size	List Price
40100-4	56" (Nom)	57.74



Endura® XL Sampling / Air Balance Cap		
Part Number	Size	List Price
40100-33	4"	34.64



Endura® XL Replacement Fastener Kit		
Part Number	Included	List Price
40100ARFK	Bolt with Red Loctite (x4), 5/16 - 18 X 0.8 (x4), Socket Set Screw with Blue Loctite (x4)	62.33




Endura® XL Replacement Cover Traffic Rated CSA B481.0 Class 'S'			
Part Number	Size	Load Capacity	List Price
40100ARCS	22" Nom	(10000lbs)	941.15

Endura® XL Solids Interceptor Replacement Cover Traffic Rated CSA B481.0 Class 'S'			
Part Number	Size	Load Capacity	List Price
40100ERCS	22" Nom	(10000lbs)	856.45

ENDURA® XL GREASE INTERCEPTOR

PRICE LIST C40-0822 AUGUST 15, 2022



Endura® XL Flow Control

Part Number	Flow Rate	Connection Size	List Price
4044275A	75 g.p.m. (4.73L/sec.)	4"	209.31
40442100A	100 g.p.m. (6.31L/sec.)	4"	209.31



Endura® XL Dynamic Inlet Baffle Replacement (Includes Connector & Seal)

Part Number	Size	List Price
4075ARDB	75 g.p.m.	685.66
40100ARDB	100 g.p.m.	685.66

PART#	WEIGHT (Kg.)	CARTON BARCODE	PG. #	PART#	WEIGHT (Kg.)	CARTON BARCODE	PG. #	PART#	WEIGHT (Kg.)	CARTON BARCODE	PG. #
4044275A	2.255	10662671067705	7	40100ARDB	5.566	10662671068009	7	40100ARCM	4.576	10662671070613	6
40442100A	2.255	10662671067712	7	40100ARFK	0.208	10662671074925	6	40100AX18SW	12.526	10662671072631	5
40100-21	0.107	10662671067576	6	40100AX18	25.676	10662671069044	5	40100AX35SW	17.926	10662671072624	5
40100-23	0.092	10662671067415	6	40100AX35	36.476	10662671066296	5	40100E04	127.938	00662671075338	5
40100-33	0.198	10662671067606	6	40100X35-2	0.070	00662671066992	5	40100ERCS	9.691	00662671075345	6
40100-4	0.283	00662671067104	6	4075-21	0.107	10662671067583	4	40100SWS	28.289	20662671072393	5
40100TPS3	0.070	10662671067767	6	4075A04	111.105	20662671066279	3	40100SWM	23.183	20662671072409	5
40100A04	134.457	20662671066248	3	4075ARDB	5.566	10662671068016	7	40100SWC	45.521	00662671072757	5
40100ARCS	9.682	10662671070606	6	4075A04M	100.894	20662671070757	3	40100SSRK	5.29	10662671075403	6
				40100A04M	124.246	10662671070736	3	40100MS	2.000	10662671073331	3
								4011A04	25.321	00662671074935	3
								40150-21	0.107	10662671071047	6
								40150A04	134.437	10662671071092	3
								40150A04M	124.226	00662671071101	3

INTERCEPTOR SIZING & SELECTION

Sizing your application is easy at www.endurainterceptor.com. Click on the Endura® Quick Sizing tool at the bottom of the menu listing. Simply enter your sink dimensions and any additional appliances that will discharge through your interceptor. Choose and enter your drain period and the tool does the rest! It's that easy.

Warranty and Limitation of Liability Reg/Info Limited Lifetime Warranty

Effective March 16, 2020, Canplas Industries Ltd. ("Manufacturer") guarantees to the original purchaser ("Purchaser") or to a subsequent owner of the Endura Grease Management Products manufactured by the Manufacturer ("Products") that Manufacturer will, at its discretion, replace, refund or repair any such Products that were purchased after the effective date and that are defective in materials or workmanship, subject to the limitations detailed herein.

THIS EXPRESS WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, WHETHER EXPRESSED, IMPLIED OR STATUTORY, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS EXPRESS WARRANTY SPECIFICALLY EXCLUDES INSTALLATION AND/OR REPAIR COSTS, INCLUDING LABOUR.

The Products have a Limited Lifetime Warranty (the "Warranty") against defects in workmanship and materials from the date of purchase of the Products for the lifetime of the plumbing system in which the Products are originally installed. Within ten (10) days of discovery of an alleged defect, the Purchaser or the subsequent owner must notify the Manufacturer and promptly return the Product believed to be defective to the Manufacturer facility located at 31 Patterson Road, Barrie, Ontario, Canada L4N 3V9 with freight prepaid. At Manufacturer's sole discretion, an on-site inspection may be arranged.

Warranty and Liability Limitations

This Warranty applies provided that: (i) within 90 days from the date of purchase, Manufacturer has received from the Purchaser or from

the subsequent owner a proof of purchase of the Product and a duly completed Warranty Registration Card. The Warranty Registration Card is reproduced below and can also be found included with the Products or on Manufacturer's website; (ii) the Products have been installed and used in strict compliance with Manufacturer's written instructions as published and updated from time to time by Manufacturer, with the state of the art industry standards and practices, with all local codes and standards as well as with all applicable laws and regulations; (iii) the Products have passed all of the installation tests referred to in the Manufacturer's written instructions as published and updated from time to time by Manufacturer; (iv) the Products were installed by a licensed plumber and (v) the Products were not modified, repaired or altered without Manufacturer's authorization or do not show any evidence of disassembly or tampering.

ANY LIABILITY IN RESPECT TO THE PRODUCTS IS STRICTLY LIMITED TO THE REFUND, REPAIR OR REPLACEMENT OF THE PRODUCT AND THERE SHALL NOT, IN ANY EVENT, BE ANY LIABILITY FOR ANY LABOUR CHARGES (INCLUDING THOSE REQUIRED FOR FIELD REPAIR, REPLACEMENT OR REMOVAL OF THE PRODUCTS) OR DAMAGES INCLUDING, WITHOUT LIMITATION, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES.

In addition, and without limiting the generality of the foregoing, there shall be no Warranty or Liability for damages or defects relating to or resulting from:

- misuse (e.g. by running a pressure test) or abuse;
- the Products having been used in more than one installation, installed in improper applications or in a place susceptible to damages from traffic exceeding intended

loads per lid load rating specified in Manufacturer's written instructions as published and updated from time to time by Manufacturer;

- normal wear and tear, discoloration, UV degradation, extreme temperature or pH levels, freeze-related damage;
- acts of nature (e.g. fire, hail, hurricane, etc.), incidents (e.g. building settling, structural failures of walls or foundations) or accidents;
- improper or faulty installation, storage, handling or maintenance;
- failure to properly care for and maintain the Products or the plumbing system where the Products are installed;
- failure to abide by Manufacturer's warnings, safety instructions, or other precautionary guidelines;
- any other cause outside the control of Manufacturer.

Manufacturer reserves the right to discontinue or modify any of its Products at its absolute discretion, and shall not be liable as a result of such discontinuation or modification. Manufacturer shall not be liable in the event that replacement Products vary in color in comparison to the original Product or as a result of normal weathering.



All Canplas Endura® Grease Interceptors are tested and certified to Standard PDI-G101 of the Plumbing and Drainage Institute except 150 GPM models that are excluded from scope of PDI.

ENDURA® XL GREASE INTERCEPTOR



canplas®

**Head Office, Manufacturing Location
and Customer Service Centre**

500 VETERANS DRIVE, BOX 1800
BARRIE, ON L4M 4V3
CANADA

TELEPHONE: (705) 726-3361
FAX: (705) 726-2186
EMAIL: separation-tech@canplas.com

**Customer Service Centre
and Sales Office**

9489 - 200 STREET, UNIT 201
LANGLEY, B.C. V1M 3A7
CANADA

TELEPHONE: (604) 455-0432
FAX: (604) 455-0452

**Customer Service Centre
and Sales Office**

11408-163rd STREET
EDMONTON, AB T5M 3T3
CANADA

TELEPHONE: (780) 451-3206
FAX: (780) 452-0536

www.endurainterceptor.com
1-800-461-5300