


PRICE LIST  
PVCSEW030325



# canplas®

## PVC SOLVENT WELD SEWER & DRAIN FITTINGS



**MARCH 3, 2025**

**SUPERSEDES PVCSEW021224 (FEBRUARY 12, 2024)**

Our website pricing is the current list price and may vary from our printed price list.  
Please visit our website for up-to-date information.

[www.canplasplumbing.com](http://www.canplasplumbing.com) 1-800-461-5300

# PVC SEWER FITTINGS

PRICE LIST PVCSEW030325 MARCH 3, 2025

## TERMS AND CONDITIONS OF SALE

### 1. General

Except where otherwise agreed to in writing by Canplas all sales are subject to the following terms and conditions. Canplas reserves the right to modify these terms and conditions at its discretion and without notice.

### 2. Prices

All prices quoted or published are F.O.B. Canplas' factory or authorized warehouse. Published prices are subject to change without notice until orders are accepted by the issuance of an order confirmation. Canplas may agree in writing to protect prices for an extended period of time for specific projects or quotations. Orders may be shipped in whole or in part at Canplas' discretion and will be immediately invoiced upon shipment. Any and all sales, manufacturers' taxes and/or other charges levied or imposed by any governmental authority, foreign or domestic, upon any merchandise sold or contracted to be sold shall be paid by the purchaser and added to the purchase price unless satisfactory and appropriate tax exception certificates are supplied to the Seller.

### 3. Payment Terms

Unless other terms of payment are agreed to in writing by Canplas or otherwise indicated on specific published price lists, payment is due upon delivery of the products. If applicable, cash discounts, expressed as a percentage, are calculated on the net invoiced prices before any taxes, freight or other charges and can only be deducted from payment if Canplas receives payment from the purchaser on or prior to the due date. Interest shall be charged at a rate of 1.5% per month equating to an annual rate of 18% on all overdue accounts. The granting of credit by Canplas is based on its evaluation of the purchaser's financial condition. If such financial condition does not justify continuance of shipment on credit, Canplas may require full or partial payment in advance.

### 4. Orders

Purchaser's orders are conditional upon satisfactory credit approval by Canplas. Minimum order values shall be as published in the applicable price list or as agreed to in writing by Canplas. Once confirmed by Canplas, orders for custom made products manufactured to the Purchaser's specifications and orders for large quantities of non-inventoried products cannot be cancelled, modified or returned, without the written consent of Canplas.

### 5. Shipments

All shipments are F.O.B. Canplas' factory or authorized warehouse. Quoted delivery schedules or those contained in an order acknowledgement are approximate only. Shipment will be made within reasonable proximity to the quoted delivery schedule. Prepaid orders will be shipped via the most economical method at the discretion of Canplas. Should the customer select an alternative method with a higher rate, the difference will be charged to the customer.

### 6. Shipping Responsibility

Canplas' responsibility ceases when the carrier signs for the shipment in good order. Under no circumstances will Canplas be responsible for any damage caused by delays in shipment, whether resulting from causes within or beyond the control of Canplas. Canplas shall bear no liability for products lost or damaged during transit. Canplas is not responsible for loss or damage to goods in transit, or delays or carriers in delivering shipments or for damages resulting from such delays as those caused by fire, explosion, act of God, strike or other difference with workmen, shortage of material or labor, delays in transportation, government restrictions, war, riot, civil commotion or cause beyond our control. Where shortage or damage is apparent, details should be noted by the carrier on the freight bill at the time of delivery. In case of concealed damage, carrier should be called at once to inspect the damaged shipment. Do not return damaged goods.

### 7. Returned Goods

Prior to returning any products for any reason the purchaser must obtain a Returned Goods Authorization (RGA) form from Canplas which must accompany the goods being returned. For returned goods that are acceptable for credit, a restocking charge of twenty-five percent (25%) will be assessed against the credit to cover handling, inspection and/or repackaging. Products must be returned freight prepaid, unless otherwise authorized by Canplas. Products must be received in good saleable condition and, if required, in full carton quantities and in their original packaging. Canplas reserves the right to refuse the return of certain products, such as custom-made configurations, obsolete products, excessive quantities or other specialty products. Canplas may, at its discretion, direct that products be destroyed for credit rather than returned.

### 8. Product Modifications

Canplas reserves the right to make changes or improvements to its products in its sole discretion and without assuming any further obligation.

### 9. Force Majeure

Canplas shall not be responsible or liable for any non-performance or delay in performance hereunder or any loss or damage of any kind whatsoever, direct or indirect, suffered by the purchaser, subsequent purchasers, ultimate users of the goods or any other person, as a result of any causes beyond the reasonable control of Canplas including, without limitation, price alterations, delay in shipments, strikes, lock-outs, fires, floods, civil commotion, riots, wars, acts of God, embargos, labor shortages, walk-outs, work slowdowns, accidents, breakdowns, delays in manufacture, transportation or delivery of goods or materials, shortages of materials or supplies or government acts or regulations.

### 10. Miscellaneous

Product names used in Canplas published documents, electronic or printed, are for identification purposes only. All trademarks registered or otherwise, are the property of their respective owners.

### 11. Governing Law

This agreement and all associated rights and obligations shall be governed by the laws of the province of Ontario and all actions commenced pursuant hereto shall be brought in a court of jurisdiction residing in the province of Ontario.

### 12. Warranty

Canplas products are carefully inspected for manufacturing defects, however, it is not always possible to detect hidden defects. Unless otherwise specifically stated in writing, Canplas products are warranted only to the extent that Canplas will replace without charge, products proven to have manufacturing defects within 6 months of the date of delivery thereof and provided Canplas has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

## TABLE OF CONTENTS Page

Tees	3
Cleanouts	3
Cleanout Plugs	3
Adapters	3
Cleanout Adapters	3
Downspout Adapters	4
90° Elbows	4
45° Elbows	4
22-1/2° Elbows	4
Wyes	5
Adapter Bushings	5
Reducing Bushings	5
Couplings	5
Cast Iron Adapters	6
P Traps	6
One Piece Closet Flanges	6
Saddles	6
Grates	6
Caps	6
Clamps	6
Index	7


# PVC SEWER FITTINGS

PRICE LIST PVCSEW030325 MARCH 3, 2025

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------


## TEES

### TEE - H x H x H



414103BC	630	35	3	24.33
414104BC	360	20	4	27.16
414107BC	360	20	4 x 4 x 3	49.24
414106BC	90	5	6	109.69
414108BC	108	6	6 x 6 x 4	114.37
414109BC	18	1	8	240.86
414110BC	24	1	8 x 8 x 4	128.85
414111BC	24	1	8 x 8 x 6	159.54

### SANITARY TEE - H x H x H



414123BC	450	25	3	29.05
414124BC	216	12	4	37.67
414125BC	90	5	6 x 6 x 4	160.07
414126BC	72	3	6	242.49
414127BC	18	1	8	712.24

### SANITARY TEE, Street - Spg x H x H



414120BC	216	12	4	37.67
----------	-----	----	---	-------

### STREET TEE - Spg x H x H



414114BC	360	20	4	32.41
----------	-----	----	---	-------

### CROSS - H x H x H x H



414450BC	180	10	4	55.23
----------	-----	----	---	-------

## CLEANOUTS

### CLEANOUT TEE - H x H x FPT



414105BC	270	15	4	42.64
----------	-----	----	---	-------

## CLEANOUT PLUGS

### CLEANOUT PLUG - MPT



414243BC	5400	75	3	11.45
414244BC	2880	60	4	16.33
414286BC	1200	25	6	66.43
414288BC	144	1	8	97.13

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

## CLEANOUT PLUGS Continued


### COUNTERSUNK PLUG - MPT



414240BC	4320	60	4	16.76
----------	------	----	---	-------

## ADAPTERS

### MALE ADAPTER - H x MPT



414343BC	1920	40	3	25.55
414344BC	1080	15	4	27.35

### FEMALE ADAPTER - H x FPT




414333BC	1680	35	3	26.88
414334BC	960	20	4	29.05
414336BC	270	15	6	85.29
414338BC	72	1	8	169.72

### DWV ADAPTER SLEEVE - Spg x H



412841BC	3600	50	3 x 3	7.72
412842BC	1600	50	4 x 4	8.77
412846BC	450	25	6 x 6	33.89


### CORRUGATED PIPE ADAPTER - Corrugated Hub x Sewer Hub



414444BC	1152	24	4	115.22
----------	------	----	---	--------


## CLEANOUT ADAPTERS

### FITTING CLEANOUT ADAPTER, with Plug - Spg x FPT



414273BC	1680	35	3	35.65
414274BC	960	30	4	44.23
414276BC	192	6	6	290.27

### FITTING CLEANOUT ADAPTER - Spg x FPT



414233BC	2160	45	3	18.18
414234BC	1440	60	4	20.59
414236BC	360	20	6	175.49
414238BC	144	8	8	417.15

# PVC SEWER FITTINGS

PRICE LIST PVCSEW030325 **MARCH 3, 2025**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

## CLEANOUT ADAPTERS Continued

### 2-WAY CLEANOUT - SEWER



414155BC	180	10	4	100.37
----------	-----	----	---	--------

### 2-WAY CLEANOUT - SEWER x SEWER x DWV



414150BC	180	10	4	96.21
----------	-----	----	---	-------


## DOWNSPOUT ADAPTERS

### DOWNSPOUT ADAPTER - Downspout x Sewer Hub, H x H



414431BC	1280	40	2 x 3 x 3	20.52
414432BC	1200	25	2 x 3 x 4	22.33
414433BC	1170	65	3 x 4 x 3	66.97
414434BC	540	30	3 x 4 x 4	78.07

### DOWNSPOUT ADAPTER FOR CORRUGATED PIPE - Downspout x Corrugated, H x Spg



414471BC	1024	32	2 x 3 x 4	32.49
414473BC	768	24	3 x 4 x 4	75.73
414474BC	192	6	4 x 6 x 6	142.74

### FLUSH DOWNSPOUT ADAPTER - Downspout x Sewer Hub, H x H



414461BC	1728	36	2 x 3 x 3	20.20
414462BC	960	20	2 x 3 x 4	21.98
414463BC	768	24	3 x 4 x 4	46.80


### EXTENDED REDUCER BUSHING - Spg x H



414494BC	1440	45	4 (2 x 3)	14.03
----------	------	----	-----------	-------

## 90° ELBOWS

### 1/4 BEND (90°) - H x H



414153BC	800	25	3	23.39
414154BC	450	25	4	24.63
414156BC	84	7	6	76.98
414158BC	24	1	8	173.27

### 1/4 BEND, Street (90°) - Spg x H




414152BC	480	20	4	28.72
414157BC	90	5	6	82.29
414159BC	36	2	8	376.29

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

## 90° ELBOWS Continued

### 1/4 BEND (90°), LONG SWEEP - H x H



414163BC	720	40	3	23.39
414164BC	360	20	4	27.76
414166BC	48	4	6	86.69
414168BC	36	2	8	565.44

### 1/4 BEND, Street (90°), LONG SWEEP - Spg x H



414173BC	640	20	3	24.46
414174BC	360	20	4	28.72


## 45° ELBOWS

### 1/8 BEND (45°) - H x H



414182BC	2160	30	2	15.51
414183BC	1260	70	3	15.51
414184BC	630	35	4	18.64
414186BC	180	10	6	60.22
414188BC	48	1	8	132.19

### 1/8 BEND, Street (45°) - Spg x H



414193BC	1080	60	3	14.49
414194BC	630	35	4	17.36
414196BC	180	10	6	64.36
414198BC	48	1	8	128.84

## 22-1/2° ELBOWS

### 1/16 BEND (22½°) - H x H



414203BC	1200	25	3	23.63
414204BC	420	35	4	20.20
414206BC	144	12	6	79.53
414208BC	48	1	8	247.14

### 1/16 BEND, Street (22½°) - Spg x H




414293BC	936	13	3	51.03
414294BC	360	30	4	22.75
414296BC	180	10	6	78.69

# PVC SEWER FITTINGS


PRICE LIST PVCSEW030325 MARCH 3, 2025

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------



## WYES

WYE - H x H x H					
	414133BC	450	25	3	29.05
	414131BC	480	15	3 x 3 x 2	42.24
	414134BC	216	12	4	30.23
	414132BC	216	12	4 x 4 x 3	62.40
	414136BC	72	4	6	112.99
	414135BC	90	5	6 x 6 x 4	100.86
	414137BC	18	1	8	248.20
	414138BC	48	1	8 x 8 x 4	228.75
	414139BC	18	1	8 x 8 x 6	238.32

WYE, Street - Spg x H x H					
	414144BC	216	12	4	34.68


DOUBLE WYE - H x H x H x H					
	414130BC	30	3	6 x 4	367.98


## ADAPTER BUSHINGS

ADAPTER BUSHING - Sewer Spg x DWV Hub					
	414225BC	2592	18	3 x 1½	12.56
	414229BC	3600	50	3 x 2	13.45
	414221BC	1920	40	4 x 1½	21.05
	414222BC	1920	40	4 x 2	28.72
	414224BC	1920	60	4 x 3	30.74
	414230BC	960	20	4 x 4	31.67
	414231BC	288	12	6 x 4	55.23
	414232BC	216	12	6 x 6	129.60


DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------


## REDUCING BUSHINGS


REDUCING BUSHING - Spg x H					
	414220BC	2880	40	3 x 2	15.98
	414223BC	1920	40	4 x 3	20.77


EXTENDED REDUCER BUSHING - Spg x H					
	414226BC	360	20	6 x 4	55.44
	414302BC	144	8	8 x 4	218.56
	414303BC	144	8	8 x 6	223.04

## COUPLINGS

COUPLING - H x H					
	414213BC	1600	50	3	9.47
	414214BC	990	55	4	11.06
	414216BC	240	10	6	34.41
	414215BC	48	1	8	80.76

REPAIR COUPLING - H x H					
	414314BC	960	40	4	18.64
	414316BC	216	12	6	35.87

TRANSITION COUPLING - H x H SEWER x DWV					
	414202BC	2160	15	3 x 2	66.97
	414218BC	1200	25	4 x 3	19.93
	414210BC	720	15	4 x 4	23.63
	414227BC	360	20	6 x 4	67.24
	414228BC	180	10	6 x 6	70.91

INCREASER COUPLING, with pipe stop - H x H					
	414212BC	2160	15	3 x 2	51.23
	414217BC	1440	30	4 x 3	16.88
	414219BC	360	20	6 x 4	52.04
	414209BC	144	8	8 x 4	108.94




# PVC SEWER FITTINGS

PRICE LIST PVCSEW030325 **MARCH 3, 2025**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

## COUPLINGS Continued

### REDUCER COUPLING H x H



414211BC	48	1	8 x 6	272.38
----------	----	---	-------	--------

## CAST IRON ADAPTERS


### NO HUB ADAPTER, Cast Iron (Adapts No Hub Elastomer Coupling to DWV Spigot) - H x Spg



414246BC	640	20	4	30.58
----------	-----	----	---	-------

## P TRAPS

### P TRAP, with Solvent Weld Joint - H x H



414260BC	192	6	3	89.84
414270BC	108	6	4	111.53

## ONE PIECE CLOSET FLANGES

### CLOSET FLANGE, One Piece Plastic - Hub End



414252BC	800	25	4 x 4	41.82
----------	-----	----	-------	-------

## SADDLES

### SADDLE TEE - Solvent Skirt x Solvent Hub



414746BC	270	15	4 on 6	160.87
414748BC	192	6	4 on 8	236.36

### SADDLE WYE - Solvent Skirt x Solvent Hub



414846BC	120	15	4 on 6	170.99
414848BC	120	5	4 on 8	264.46
414868BC	108	6	6 on 8	291.33

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

## GRATES


### DRAIN GRATE - Spg



414253BC	3600	25	3	22.61
414254BC	2400	50	4	24.01
414256BC	480	15	6	33.75
414258BC	144	3	8	651.42

## CAPS

### CAP - Hub



414263BC	2880	60	3	9.98
414264BC	1600	50	4	11.95
414266BC	540	30	6	57.21
414268BC	128	4	8	114.49

## STAINLESS STEEL CLAMP

### Stainless Steel Clamp



414906BC	-	100	6	39.84
414908BC	7200	100	8	55.71

### APPROVALS:

Unless otherwise noted, products are approved / listed by CSA International, NSF and IAPMO to standards that include:

CSA B181.2

IAPMO IS5, IGC 166-2001

ASTM D1784, D2729, D3034



# INDEX

PRICE LIST PVCSEW030325 MARCH 3, 2025

PART#	Weight (Kgs.)	CARTON BARCODE	PG. #	PART#	Weight (Kgs.)	CARTON BARCODE	PG. #	PART#	Weight (Kgs.)	CARTON BARCODE	PG. #
412841BC	0.054	20662671410010	3	414218BC	0.233	20662671410355	5	414848BC	0.850	20662671412403	6
412842BC	0.086	20662671410027	3	414219BC	0.490	20662671410362	5	414868BC	1.193	20662671412410	6
412846BC	0.317	20662671410744	3	414220BC	0.086	20662671411901	5	414906BC	0.040	20662671412427	6
414103BC	0.219	20662671410034	3	414221BC	0.163	20662671410379	5	414908BC	0.050	20662671412434	6
414104BC	0.372	20662671410041	3	414222BC	0.139	20662671410386	5				
414105BC	0.444	20662671411758	3	414223BC	0.151	20662671410393	5				
414106BC	1.325	20662671410058	3	414224BC	0.190	20662671410409	5				
414107BC	0.523	20662671410706	3	414225BC	0.084	20662671411703	5				
414108BC	1.151	20662671410614	3	414226BC	0.462	20662671410416	5				
414109BC	3.546	00662671411884	3	414227BC	0.609	20662671411611	5				
414110BC	2.871	00662671411815	3	414228BC	0.819	20662671024231	5				
414111BC	3.170	00662671411952	3	414229BC	0.078	20662671411666	5				
414114BC	0.383	20662671410065	3	414230BC	0.281	20662671412137	5				
414120BC	0.580	20662671411963	3	414231BC	0.680	20662671410683	5				
414123BC	0.257	20662671410072	3	414232BC	0.830	20662671412144	5				
414124BC	0.532	20662671410089	3	414233BC	0.153	20662671410423	3				
414125BC	1.420	20662671411833	3	414234BC	0.154	20662671410430	3				
414126BC	2.090	20662671411499	3	414236BC	0.487	20662671411949	3				
414127BC	4.345	20662671411970	3	414238BC	0.923	20662671412151	3				
414130BC	2.920	10662671411829	5	414240BC	0.157	20662671410447	3				
414131BC	0.353	20662671412533	5	414243BC	0.095	20662671410454	3				
414132BC	0.472	20662671410096	5	414244BC	0.199	20662671410461	3				
414133BC	0.267	20662671410102	5	414246BC	0.261	20662671410478	6				
414134BC	0.377	20662671410119	5	414252BC	0.230	20662671410492	6				
414135BC	1.223	20662671410126	5	414253BC	0.074	20662671410805	6				
414136BC	1.871	20662671410133	5	414254BC	0.144	20662671410508	6				
414137BC	4.299	20662671410645	5	414256BC	0.619	20662671410751	6				
414138BC	2.528	20662671411925	5	414258BC	1.663	20662671411697	6				
414139BC	3.360	20662671410737	5	414260BC	0.632	20662671410515	6				
414144BC	0.581	20662671410157	5	414263BC	0.058	20662671410522	6				
414150BC	0.642	20662671412083	4	414264BC	0.139	20662671410539	6				
414152BC	0.326	20662671411765	4	414266BC	0.449	20662671410546	6				
414153BC	0.155	20662671410164	4	414268BC	1.080	20662671411567	6				
414154BC	0.306	20662671410171	4	414270BC	1.317	20662671410553	6				
414155BC	0.653	20662671411598	4	414273BC	0.248	20662671410560	3				
414156BC	1.080	10662671410181	4	414274BC	0.415	20662671410577	3				
414157BC	0.981	20662671410621	4	414276BC	0.843	20662671412496	3				
414158BC	2.812	00662671411648	4	414286BC	0.356	20662671410584	3				
414159BC	2.607	20662671412090	4	414288BC	0.562	20662671412502	3				
414163BC	0.204	20662671410195	4	414293BC	0.093	20662671412441	4				
414164BC	0.425	20662671410201	4	414294BC	0.224	40662671410656	4				
414166BC	1.268	20662671411659	4	414296BC	0.674	20662671411734	4				
414168BC	3.038	20662671412106	4	414302BC	1.088	20662671410690	5				
414173BC	0.214	20662671410218	4	414303BC	1.180	20662671411635	5				
414174BC	0.398	20662671410225	4	414314BC	0.149	20662671411871	5				
414182BC	0.123	20662671412120	4	414316BC	0.589	20662671411864	5				
414183BC	0.120	20662671410232	4	414333BC	0.113	20662671410591	3				
414184BC	0.215	20662671410249	4	414334BC	0.187	20662671410607	3				
414186BC	0.848	20662671410256	4	414336BC	0.503	20662671410775	3				
414188BC	1.962	20662671410638	4	414338BC	0.945	20662671412205	3				
414193BC	0.168	20662671410263	4	414343BC	0.110	20662671412212	3				
414194BC	0.239	20662671410270	4	414344BC	0.166	20662671410669	3				
414196BC	0.838	20662671411536	4	414431BC	0.128	20662671410799	4				
414198BC	2.065	20662671412007	4	414432BC	0.225	20662671410720	4				
414202BC	0.098	20662671412588	5	414433BC	0.195	20662671411710	4				
414203BC	0.114	20662671410287	4	414434BC	0.186	20662671410713	4				
414204BC	0.225	10662671410297	4	414444BC	0.189	20662671411727	3				
414206BC	0.749	30662671410307	4	414450BC	0.552	20662671411512	3				
414208BC	1.642	20662671412038	4	414461BC	0.102	20662671412236	4				
414209BC	1.139	20662671411680	5	414462BC	0.180	20662671412243	4				
414210BC	0.278	20662671411604	5	414463BC	0.205	20662671412250	4				
414211BC	1.216	20662671412045	6	414471BC	0.157	20662671412274	4				
414212BC	0.079	20662671412625	5	414473BC	0.183	20662671412519	4				
414213BC	0.088	20662671410317	5	414474BC	0.539	20662671412526	4				
414214BC	0.155	20662671410324	5	414494BC	0.078	20662671412564	4				
414215BC	1.369	00662671411624	5	414746BC	0.372	20662671412359	6				
414216BC	0.647	20662671410331	5	414748BC	0.502	20662671412366	6				
414217BC	0.151	20662671410348	5	414846BC	0.719	20662671410676	6				

# PVC SEWER FITTINGS



## canplas®

**Head Office, Manufacturing Location  
and Customer Service Centre**

500 VETERANS DRIVE, BOX 1800  
BARRIE, ON L4M 4V3  
CANADA

TELEPHONE: (705) 726-3361  
FAX: (705) 726-2186  
EMAIL: [plumbing@canplas.com](mailto:plumbing@canplas.com)

**Customer Service Centre  
and Sales Office**

9489 - 200 STREET, UNIT 201  
LANGLEY, B.C. V1M 3A7  
CANADA

TELEPHONE: (604) 455-0432  
FAX: (604) 455-0452

**Customer Service Centre  
and Sales Office**

17551-129th AVENUE NW  
EDMONTON, AB T5V 0E3  
CANADA

TELEPHONE: (780) 451-3206  
FAX: (780) 452-0536

**[www.canplasplumbing.com](http://www.canplasplumbing.com)**

**1-800-461-5300**

